Package: MDPIexploreR (via r-universe)

October 18, 2024

Title Web Scraping and Bibliometric Analysis of MDPI Journals **Version** 0.2.0

URL https://pgomba.github.io/MDPI_explorer/

Description Provides comprehensive tools to scrape and analyze data from the MDPI journals. It allows users to extract metrics such as submission-to-acceptance times, article types, and whether articles are part of special issues. The package can also visualize this information through plots. Additionally, 'MDPIexploreR' offers tools to explore patterns of self-citations within articles and provides insights into guest-edited special issues.

VignetteBuilder knitr License CC BY 4.0 Encoding UTF-8 Roxygen list(markdown = TRUE) RoxygenNote 7.3.2 LazyData true Imports dplyr, ggplot2, lubridate, magrittr, rvest, scales, stringr Suggests knitr, rmarkdown Repository https://pgomba.r-universe.dev RemoteUrl https://github.com/pgomba/mdpi_explorer

RemoteSha 554950d7b8c7358dc76053353d69d4a16b866623

Contents

RemoteRef HEAD

griculture	2
rticle_find	2
rticle_info	3
lean_names	4

2 article_find

	uest_editor_info
	orticulturae
	MDPI_journals
	lot_articles
	elfcite_check
	pecial_issue_find
Index	9

agriculture

Article data extracted from MDPI journal Agriculture

Description

Article data extracted from MDPI journal Agriculture

Usage

agriculture

Format

agriculture:

A data frame with 7,160 rows and 7 columns:

i Article URL

article_type Article tyope classifier

Received Date article was submitted to journal

Accepted Date article was accepted for publication

tat Article turnaround time, or Accepted-Received

year Year the article was accepted

issue_type Type of issue where article is published ...

article_find

This function retrieves the URLs for all published articles from a specified journal. Users can provide the journal's code 'see MDPI_journals.rda', and the function will return the URLs of all articles available within the journal.

Description

This function retrieves the URLs for all published articles from a specified journal. Users can provide the journal's code 'see MDPI_journals.rda', and the function will return the URLs of all articles available within the journal.

article_info 3

Usage

```
article_find(journal)
```

Arguments

journal A string containing the name of a MDPI journal

Value

A vector (class: character) containing a list of articles URLs from target journal

Examples

```
agr_articles<-article_find("agriculture")</pre>
```

article_info

This function extracts key editorial information from one or more paper URLs. Specifically, it retrieves the submission, revision, and acceptance dates, as well as the article type. The function also calculates the turnaround time (the duration from submission to acceptance) and identifies whether the paper is part of a special issue.

Description

This function extracts key editorial information from one or more paper URLs. Specifically, it retrieves the submission, revision, and acceptance dates, as well as the article type. The function also calculates the turnaround time (the duration from submission to acceptance) and identifies whether the paper is part of a special issue.

Usage

```
article_info(vector, sleep = 2, sample_size, show_progress = TRUE)
```

Arguments

vector A vector with urls.

sleep Number of seconds between scraping iterations. 2 sec. by default

sample_size A number. How many papers do you want to explore from the main vector.

Leave blank for all

show_progress Logical. If TRUE, a progress bar is displayed during the function execution.

Defaults to TRUE.

clean_names

Value

A data frame (class: data.frame) with the following columns:

i The URL of the article from which the information is retrieved.

article_type The classification of the article (e.g., editorial, review).

Received The date the article was received by the publisher.

Accepted The date the article was accepted for publication.

tat The turnaround time, calculated as the number of days between the received and accepted dates.

year The year in which the article was accepted for publication.

issue_type Indicates whether the article is part of a special issue.

Examples

```
url<-c("https://www.mdpi.com/2073-4336/8/4/45","https://www.mdpi.com/2073-4336/11/3/39")
info<-article_info(url, 1.5)</pre>
```

clean_names

This function will standardize the editors and authors names to facilitate matching them to one another.

Description

Takes a vector of names to return the names without abbreviated middle names, academic titles and hyphens.

Usage

```
clean_names(name_vector)
```

Arguments

name_vector

A string with names separated by commas

Value

A vector (class: character) containing names

```
clean_names(c("Matthias M. Bauer", "Thomas Garca Morrison", "Wolfgang Nitsche", "Elias Biobaca L."))
```

guest_editor_info 5

guest_editor_info Obtain information from guest edited special issues

Description

#' Extracts data from special issues, including guest editors' paper counts excluding editorials, time between last submission and issue closure, and whether guest editors served as academic editors for any published papers.

Usage

```
guest_editor_info(journal_urls, sample_size, sleep = 2, show_progress = TRUE)
```

Arguments

journal_urls A list of MDPI special issues URLs

sample_size A number. How many special issues do you want to explore from the main

vector. Leave blank for all

sleep Number of seconds between scraping iterations. 2 sec. by default

show_progress Logical. If TRUE, a progress bar is displayed during the function execution.

Defaults to TRUE.

Value

A data frame (class: data.frame) with the following columns:

special_issue The URL of the special issue from which the information is retrieved.

num_papers Number of special issues contained in the special issue, not considering editorial type articles

flags Number of articles in the special issue with guest editorial pressence

prop_flag Proportion of articles in the special issue in which a guest editor is present

deadline Time at which the special issue was or will be closed

latest_sub Time at which last article present in the special issue was submitted

rt_sum_vector2 Numeric vector showing number of articles in which each individual guest editor is present

aca_flag Number of articles in the special issue where the academic editor is a guest editor too

d_over_deadline Day differential between special issue closure and latest article submission

```
ge_issue<-"https://www.mdpi.com/journal/plants/special_issues/5F5L5569XN"
ge_info<-guest_editor_info(ge_issue)</pre>
```

6 MDPI_journals

horticulturae

Article data extracted from MDPI journal Horticulturae

Description

Article data extracted from MDPI journal Horticulturae

Usage

horticulturae

Format

horticulturae:

A data frame with 7,160 rows and 7 columns:

i Article URL

article_type Article tyope classifier

Received Date article was submitted to journal

Accepted Date article was accepted for publication

tat Article turnaround time, or Accepted-Received

year Year the article was accepted

issue_type Type of issue where article is published ...

MDPI_journals

MDPI journal names and code

Description

Extracts names and codes of current MDPI journals.

Usage

```
MDPI_journals()
```

Value

A data frame (class: data.frame) with the following columns:

journal Full name of the MDPI journal

num_papers Journal code used for ID and web scraping purposes

```
journal_table<-MDPI_journals()</pre>
```

plot_articles 7

7				
nι	OΤ	art:	1 (I e s

Plots informaton obtained from article_info

Description

Plots informaton obtained from article_info

Usage

```
plot_articles(articles_info, journal, type)
```

Arguments

 ${\tt articles_info} \quad Output \ data frame \ from \ function \ articles_info.$

journal A string with the name of the journal for graph title purposes type select "summary", "issues" or "type" depending on desired graph

Value

A plot (class: ggplot) depicting the desired information obtained from article_info

Examples

```
plot_articles(agriculture, "Agriculture", type="summary")
```

selfcite_	_check
-----------	--------

Calculates number of authors selfcitations against all references

Description

Calculates number of authors selfcitations against all references

Usage

```
selfcite_check(article_url, verbose = TRUE)
```

Arguments

article_url A valid MDPI article url

verbose Logical. If TRUE, informative messages will be printed during the function exe-

cution. Defaults to TRUE.

8 special_issue_find

Value

A string (class: data.frame) with the following columns:

selfcite The number of articles in references authored by any of the main article authors **total_ref** Total number of references in the article

Examples

```
paper_url<-"https://www.mdpi.com/2223-7747/13/19/2785"
sc<-selfcite_check(paper_url)</pre>
```

special_issue_find

Retrieves all special issues of a specified journal with URLs. Filters results by issue status (open, closed, or all) and optional year range.

Description

Retrieves all special issues of a specified journal with URLs. Filters results by issue status (open, closed, or all) and optional year range.

Usage

```
special_issue_find(journal, type = "closed", years = NULL, verbose = TRUE)
```

Arguments

journal MDPI journal code

type "closed", "open" or "all" special issues. "closed" by default.

years A vector containing special issues closure dates to limit the search to certain

years

verbose Logical. If TRUE, informative messages will be printed during the function exe-

cution. Defaults to TRUE.

Value

A vector.

```
special_issue_find("covid")
```

Index

```
* datasets
    agriculture, 2
    horticulturae, 6

agriculture, 2
article_find, 2
article_info, 3

clean_names, 4

guest_editor_info, 5

horticulturae, 6

MDPI_journals, 6

plot_articles, 7

selfcite_check, 7
special_issue_find, 8
```